

aquatica®

Function : Form : Fashion



Spring MCRC-590/270

all-Mounted Shower Head




Installation & Care Manual

USA/CANADA

Spring MCRC-590-270

Wall-Mounted Shower Head

TOOLS/PARTS LIST



PLUMBING SPECIFICATIONS

Operating pressure:

Min: 1 bar (0,1 Mpa)

Max: 5 bar (0,5 Mpa)

Best: 3 bar (0,3 Mpa)

Operating Temperature:

Max: 70°C

Best: 38°C / 40°C

Waterflow:

Min: 3.96 gallons/minute


Spring MCRC-590/270

Wall-Mounted Shower Head



INSTALLATION SEQUENCE

aquatica®

Function : Form : Fashion



MEASUREMENTS: inches




aquatica®

Function : Form : Fashion

Spring MCRC-590/270

Wall-Mounted Shower Head

INSTALLATION SEQUENCE continued







Spring MCRC-590/270

Wall-Mounted Shower Head

INSTALLATION SEQUENCE continued

aquatica®

Function : Form : Fashion





aquatica®

Function : Form : Fashion

Spring MCRC-590/270

Wall-Mounted Shower Head

INSTALLATION SEQUENCE continued





Spring MCRC-590/270

Wall-Mounted Shower Head

INSTALLATION SEQUENCE continued

aquatica®

Function : Form : Fashion



aquatica®

Function : Form : Fashion



Spring MCRC-590/270

Wall-Mounted Shower Head

aquatica®

Function : Form : Fashion

INSTALLATION SEQUENCE continued









Spring MCRC-590/270

Wall-Mounted Shower Head

aquatica®

Function : Form : Fashion

CLEANING TIPS



aquatica®

Function : Form : Fashion


Spring MCRC-590/270

Wall-Mounted Shower Head

aquatica®

Function : Form : Fashion

CLEANING TIPS





aquatica®

Function : Form : Fashion



CE

Aquatica Plumbing Europe LTD
Dzirnavu iela 73-2, Riga, Latvia
13
EN 14516
CL1
CA-DA